

## Standard 10 W 12 V SV8.5-8

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



## Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting






N264-02B

Electrical Data		
Power input	10 W	
Test voltage	13.5 V	
Power input tolerance	±10 %	
Nominal wattage	10 W	
Nominal voltage	12 V	
Photometric Data		
Nominal luminous flux	100 lm	
Physical Attributes & Dimensions		
Diameter	11.0 mm	
Product weight	2.00 g	
Length	41.0 mm	
Lamp base	SV8.5-8	
Diameter	11.0 mm	
Lifetime Data		
Lifespan Tc	380 hr	
Lifespan B3	175 hr	
Certificates & standards		
British standard	264	
Logistical data		
Order reference	N264	
Environmental & Regulatory Information		
Primary article identifier	4052899491472   4008321780584   4008321770684	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	No declarable substances contained	

## **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N264	4008321770684	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N264-02B	4008321780584	BLISTER	2





www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020