


# Standard 16 W 12 V W2.1x9.5d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



#### **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

#### **Product family features**

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- · Normed light output
- Basis for good light distribution

## Areas of application


- Position and parking light
- · Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting



Application (Category and Product specific)	Auxiliary lamp	
Florenical data		
Electrical data	47.5.1	
Test voltage	13.5 V	
Nominal wattage	1600 W	
Nominal voltage	120 V	
Dimensions & weight		
Product weight	184 g	
Length	380 mm	
Diameter	1600 mm	
	W16W	
ECE category	W16W	
ECE category  Logistical data	W16W N921	
ECE category  Logistical data  Order reference		
Certificates & standards ECE category  Logistical data Order reference  Environmental information Date of Declaration		
Logistical data Order reference Environmental information Date of Declaration	N921	
ECE category  Logistical data  Order reference  Environmental information	N921 06-03-2024 4055462040459   4055462040473   4052899254411	

### **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N921	4052899254411	Folding box	10





Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

### **Product datasheet**

www.neolux-lighting.com