

Standard 5 W 12 V SV8.5-8

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



N239

Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Electrical Data

Power input	5 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	5 W
Nominal voltage	12.0 V

Photometric Data

Nominal luminous flux	45 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Product weight	2.90 g
Length	36.0 mm
Lamp base	SV8.5-8
Diameter	11.0 mm

Lifetime Data

Lifespan Tc	750 hr
Lifespan B3	350 hr

Certificates & standards

ECE category	C5W
British standard	239

Logistical data


Order reference	N239
-----------------	------

Environmental & Regulatory Information

Date of declaration	09-07-2024
Primary article identifier	4008321780553 4052899338210 5010633537182 4008321770356 4006584921515 4008321867490 4008321770837
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N239	4008321770370		
N239-02B	4008321780553	BLISTER	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com