

Standard 5 W 12 V BA15s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- · Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet





Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	5 W	
Test voltage	13.5 V	
Power input tolerance	±10 % 500 W	
Nominal wattage		
Nominal voltage	120 V	
Photometrical data		
Luminous flux	50 lm	
Luminous flux tolerance	±20 %	
Dimensions & weight		
Product weight	600 g	
Length	375 mm	
Diameter	1900 mm	
Lifespan		
Lifespan Tc	300 h	
Lifespan B3	100 h	
Additional product data Base (standard designation)	BA15s	
Certificates & standards		
ECE category	R5W	
British standard	207	
Logistical data		
Order reference	N207	
Environmental information		
Date of Declaration	05-03-2024	
Primary Article Identifier	5010633537045	
	4006584921225	
	4006584594320	
	4008321780966 4008321812636	
	4008321812636	
	4006584827756	
	4055462033826	
	4052899247406	
	4055462141354	
	4055462300973	
	4055462347039	
Candidate List Substance 1	No declarable	

Packaging Information

Candidate List Substance 1


Declaration No. in SCIP database

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N207	4006584921225	Folding box	10
N207-02B	4008321780966	Blister	2
N207S	5010633537045	Folding box	1

No declarable substances contained

In work

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com