

Standard 21 W 12 V BAU15s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting






N581-02B

Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	25 W	
Test voltage	13.5 V	
Power input tolerance	±6 %	
Nominal wattage	2100 W	
Nominal voltage	120 V	
	120 V	
Photometrical data		
Luminous flux	280 lm	
Luminous flux tolerance	±20 %	
Dimensione & maishe		
Dimensions & weight Product weight	800 g	
Length	526 mm	
Diameter	2500 mm	
Lifespan		
Lifespan Tc	320 h	
Lifespan B3	120 h	
Additional product data Base (standard designation)	BAU15s	
	DA0133	
Certificates & standards		
ECE category	PY21W	
British standard	581	
Logistical data		
Order reference	N581	
Environmental information	05 07 2024	
Date of Declaration	05-03-2024	
Primary Article Identifier	4006584670383 4008321770509 4008321770899 4008321781079 4008321842732 4055462031266 4055462300928 4055462332356 4062172200943	
Candidate List Substance 1	No declarable substances containe	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N581	4008321770509	Folding box	10
N581S	4008321770899	Folding box	1
N581-02B	4008321781079	Blister	2





www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020