




NEOLUX®
GERMAN TECHNOLOGY

Standard 10 W 12 V BA15s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N245



N245-02B

Electrical data

Power input	10 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	1000 W
Nominal voltage	120 V

Photometrical data

Luminous flux	125 lm
Luminous flux tolerance	±20 %

Dimensions & weight

Product weight	600 g
Length	375 mm
Diameter	1900 mm

Lifespan

Lifespan Tc	300 h
Lifespan B3	100 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	R10W
British standard	245

Logistical data


Order reference	N245
-----------------	------

Environmental information

Date of Declaration	05-03-2024
Primary Article Identifier	4008321770530 4008321770981 4008321780935 4008321812650 4006584827794 4055462033857 4055462300942 4055462347060
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX			
N245	4008321770530	Folding box	10
N245S	4008321770981	Folding box	1
N245-02B	4008321780935	Blister	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com