

Standard 21/4 W 12 V BAZ15d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- · Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- · Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting


Product datasheet



Application (Category and Product speci	ic) Auxiliary lamp	
2 2		
Electrical data		
Power input	25 W	
Test voltage	13.5 V	
Power input tolerance	±6 %	
Nominal wattage	21/4 W	
Nominal voltage	120 V	
Photometrical data		
Luminous flux	440/15 lm	
Luminous flux tolerance	±15 %	
Dimensions & weight		
Product weight	1000 g	
Length	495 mm	
Diameter	2500 mm	
Lifespan		
Lifespan Tc	160 h	
Lifespan B3	60 h	
Additional product data Base (standard designation)	BAZ15d	
Certificates & standards		
ECE category	P21/4W	
British standard	566	
Logistical data		
Order reference	N566	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4006584594887 4008321781048 4008321842718 4055462033888 4055462300867 4055462040435 4008321770417	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	
Packaging description EAN NEOLUX	Packaging type Amount o	

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N566-02B	4008321781048	Blister	2

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com