

Standard 4 W 12 V BA9s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet




| Application (Category and Product specific) | Auxiliary lamp | |
|---|---|--|
| Electrical data | | |
| Power input | 4 W | |
| Test voltage | 13.5 V | |
| Power input tolerance | ±10 % | |
| Nominal wattage | 400 W | |
| Nominal voltage | 120 V | |
| Photometrical data | | |
| Luminous flux | 35 lm | |
| Luminous flux tolerance | ±20 % | |
| Dimensions & weight | | |
| Product weight | 186 g | |
| Length | 274 mm | |
| Diameter | 900 mm | |
| Lifespan | | |
| Lifespan Tc | 750 h | |
| Lifespan B3 | 300 h | |
| A d distance do do | | |
| Additional product data Base (standard designation) | BA9s | |
| | | |
| Certificates & standards | TAW | |
| ECE category | T4W | |
| British standard | 233 | |
| Logistical data | N277 | |
| Order reference | N233 | |
| Environmental information | | |
| Date of Declaration | 06-03-2024 | |
| Primary Article Identifier | 5010633537083 4006584920495 4006584827770 4055462156099 4055462301000 | |
| Candidate List Substance 1 | No declarable substances contained | |
| Declaration No. in SCIP database | In work | |

Packaging Information

| Packaging description NEOLUX | EAN | Packaging type | Amount of article |
|---------------------------------|---------------|----------------|-------------------|
| N233 | 4006584920495 | Folding box | 10 |
| N233S | 5010633537083 | Folding box | 1 |

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com