NEOLUX®
GERMAN TECHNOLOGY

Standard 3 W 12 V W2.1x9.5d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.

N504

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

N504

Product information	
Application (Category and Product specific)	Auxiliary lamp

Electrical Data	
Power input	3 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	3 W
Nominal voltage	12 V

Photometric Data	
Nominal luminous flux	22 lm
Luminous flux tolerance	±30 %

Physical Attributes & Dimensions	
Product weight	1.34 g
Length	26.8 mm
Lamp base	W2.1x9.5d
Diameter	10.0 mm

Lifetime Data	
Lifespan Tc	1500 hr
Lifespan B3	500 hr

Certificates & standards	
ECE category	W3W
British standard	504

Logistical data	
Order reference	N504

Environmental & Regulatory Information	
Primary article identifier	4008321770561
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N504	4008321770561	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



NEOLUX®
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com