



**NEOLUX®**  
GERMAN TECHNOLOGY

## Standard 3 W 12 V W2.1x9.5d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



### Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

### Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution


### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



|   |  |
|---|--|
| <b>Product information</b>                  |  |
| Application (Category and Product specific) | Auxiliary lamp   |
| <b>Electrical data</b>                      |  |
| Power input                                 | 3 W  |
| Test voltage                                | 13.5 V   |
| Power input tolerance                       | ±10 %  |
| Nominal wattage                             | 3.00 W   |
| Nominal voltage                             | 12.0 V   |
| <b>Photometrical data</b>                   |  |
| Luminous flux                               | 22 lm  |
| Luminous flux tolerance                     | ±30 %  |
| <b>Dimensions &amp; weight</b>              |  |
| Product weight                              | 1.34 g   |
| Length                                      | 26.8 mm  |
| Diameter                                    | 10.0 mm  |
| <b>Lifespan</b>                             |  |
| Lifespan Tc                                 | 1500 h   |
| Lifespan B3                                 | 500 h  |
| <b>Additional product data</b>              |  |
| Base (standard designation)                 | W2.1x9.5d  |
| <b>Certificates &amp; standards</b>         |  |
| ECE category                                | W3W  |
| British standard                            | 504  |
| <b>Logistical data</b>                      |  |
| Order reference                             | N504   |
| <b>Environmental information</b>            |  |
| Date of Declaration                         | 06-03-2024   |
| Primary Article Identifier                  | 4008321770561  <br>4055462031013  <br>4055462205773  <br>4055462205803 |
| Candidate List Substance 1                  | No declarable<br>substances contained                                  |
| Declaration No. in SCIP database            | In work  |

|                              |               |                |                   |
|------------------------------|---------------|----------------|-------------------|
| <b>Packaging Information</b> |               |                |                   |
| Packaging description        | EAN           | Packaging type | Amount of article |
| NEOLUX                       |               |                |                   |
| N504                         | 4008321770561 | Folding box    | 10                |



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)