

Standard 10 W 12 V BAU15s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- · Reliable products

Product family features

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- · Normed light output
- Basis for good light distribution

Areas of application


- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting



Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Test voltage	13.5 V	
Nominal wattage	10.00 W	
Nominal voltage	12.0 V	
Dimensions & weight		
Product weight	5.50 g	
Length	37.5 mm	
Diameter	16.0 mm	
Lifespan		
Lifespan Tc	300 h	
Lifespan B3	100 h	
Additional product data Base (standard designation)	BAU15s	
Certificates & standards		
ECE category	RY10W	
British standard	245A	
British standard	2 13/1	
Logistical data		
Order reference	N245A	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4008321768407 4055462245502	
Candidate List Substance 1	No declarable substances contain	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N245A	4008321768407	Folding box	10



Product datasheet



NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com