NEOLUX®
GERMAN TECHNOLOGY

Standard 10 W 12 V BAU15s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.

N245A

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

N245A

Product information

Application (Category and Product specific)	Auxiliary lamp

Electrical Data

Test voltage	13.5 V
Nominal wattage	10 W
Nominal voltage	12 V

Physical Attributes & Dimensions

Product weight	5.50 g
Length	37.5 mm
Lamp base	BAU15s
Diameter	16.0 mm

Lifetime Data

Lifespan Tc	300 hr
Lifespan B3	100 hr

Certificates & standards

ECE category	RY10W
British standard	245A

Logistical data

Order reference	N245A

Environmental & Regulatory Information

Primary article identifier	4008321768407
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N245A	4008321768407	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com