NEOLUX®
GERMAN TECHNOLOGY

Standard 6 W 12 V BAX9s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.

N434

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

N434

Product information	
Application (Category and Product specific)	Auxiliary lamp

Electrical Data	
Power input	7 W
Test voltage	13.5 V
Power input tolerance	±5 %
Nominal wattage	6 W
Nominal voltage	12 V

Photometric Data	
Nominal luminous flux	125 lm
Luminous flux tolerance	±12 %

Physical Attributes & Dimensions	
Product weight	2.30 g
Length	33.0 mm
Lamp base	BAX9s
Diameter	9 mm

Lifetime Data	
Lifespan Tc	500 hr
Lifespan B3	200 hr

Certificates & standards	
ECE category	H6W
British standard	434

Logistical data	
Order reference	N434

Environmental & Regulatory Information	
Primary article identifier	4008321770387 | 4052899343795
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N434	4008321770387	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



NEOLUX®
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com