

Standard 21 W 12 V W3x16d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet




Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
	13.5 V	
Test voltage		
Nominal wattage	2100 W	
Nominal voltage	120 V	
Photometrical data		
Luminous flux	460 lm	
Dimensions & weight		
Product weight	680 g	
Length	475 mm	
Diameter	2000 mm	
Lifespan		
Lifespan Tc	600 h	
Lifespan B3	400 h	
Additional product data		
Base (standard designation)	W3x16d	
Certificates & standards		
ECE category	W21W	
British standard	582	
Logistical data		
Order reference	N582	
Environmental information Date of Declaration	06 07 2024	
	06-03-2024	
Primary Article Identifier	4008321768346 4052899346697	
	4055462259394	
	4055462301116	
Candidate List Substance 1	No declarable substances containe	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N582	4008321768346	Folding box	10
N582S	4052899346697	Folding box	1

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com