

Standard 5 W 12 V W2.1x9.5d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet





Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	5 W	
Test voltage	13.5 V	
Power input tolerance	±10 %	
Nominal wattage	5.00 W	
Nominal voltage	12.0 V	
Photometrical data		
Luminous flux	50 lm	
Luminous flux tolerance	±20 %	
Dimensions & weight		
Product weight	1.30 g	
Length	26.8 mm	
Diameter	10.0 mm	
Lifespan		
Lifespan Tc	500 h	
Lifespan B3	200 h	
Additional product data		
Base (standard designation)	W2.1x9.5d	
Certificates & standards		
ECE category	W5W	
British standard	501	
Logistical data		
Order reference	N501	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	5010633537069	
	4006584920723 4006584590445	
	4008321776099	
	400832181245	
	405546205443	
	405289956092 405546220589	
	405546220586	
	405546220583	
	405546230105	
	405546234714 400658473566	
	70000 (#00000T	

Packaging Information

Candidate List Substance 1


Declaration No. in SCIP database

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N501	4006584920723	Folding box	10
N501-02B	4008321776099	Blister	2
N501S	5010633537069	Folding box	1

No declarable substances contained

In work

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com