

Blue Power Light 80 W 12 V PX26d

These off-road lighting solutions from NEOLUX turn night into day. Choose from the robust and reliable Power Light, with its powerful light output, the Blue Power Light, with its stylish bluish white light, or the Weather Light, which is optimized for fog, rain or snow. Whether you need the dark spaces ahead to be brightly lit or are facing rough weather conditions, our off-road range has a solution for you.



Product family benefits

- Stylish appearance and high contrast
- On most difficult off-road terrains
- Better visibility
- Remarkable illumination
- Reliable manufacturer

Product family features

- High color temperature with stylish bluish white light
- High performance off-road lamp
- Color temperature: 5,000 K
- More power
- Rugged and versatile






N499HC-2SCB

Product type (off-road vs. on-road)	Off-road	
Application (Category and Product specific)	Halogen headlight lamp	
Electrical data		
Power input	58 W	
Test voltage	13.2 V	
Nominal wattage	80.00 W	
Nominal voltage	12.0 V	
Photometrical data		
Color temperature	5000 K	
Luminous flux	1500 lm	
Luminous flux tolerance	±10 %	
Dimensions & weight		
Product weight	12.50 g	
Length	59.0 mm	
Diameter	10.7 mm	
Lifespan		
Lifespan Tc	550 h	
Lifespan B3	330 h	
Additional product data		
Base (standard designation)	PX26d	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	H7 base	
Logistical data		
Order reference	N499HC	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4052899471030 4052899547049 4052899999060	
Candidate List Substance 1	No declarable substances contair	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N499HC	4052899471030	Folding box	1
N499HC-2SCB	4052899547049	Folding box	2



Legal advice

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

NEOLUX[®] GERMAN TECHNOLOGY

www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020