

# LED Headlamp 6500 K 58.0 mm PX26d

Thanks to a very compact socket design, these new lamps allow a high compatibility and an easy installation. The pair of lamps comes with a color temperature of 6 500 K – providing a stylish upgrade with Cool White LED light and a superior brightness. The latest LED technology quarantees a long service life.



## **Product family benefits**

- Easy plug & play installation with optimized compatibility no adapters and caps needed
- Higher performance and high-level light output
- Better visibility thanks to daylight effect
- More light allows to see farther and therefore react sooner.
   Signs, obstacles and hazards can be recognized sooner
- Reduced glaring thanks to an optimized light distribution

## **Product family features**

- Ultra compact LED replacement for conventional H7/H18 high and low beam lamps as socket solution
- Fast installation thanks to the optimized compatibility (no adapters or caps needed)
- Cool White color temperature
- Superior brightness

# **Product datasheet**



#### **Product datasheet**





Product type (off-road vs. on-road)	Off-road ≙ H7/H18	
Application (Category and Product specific)	Headlights	
Electrical data		
Test voltage	13.2 V	
Nominal wattage	11.60 W	
Nominal voltage	12.0 V	
Photometrical data		
Color temperature	6500 K	
Luminous flux	1100 lm	
Luminous flux tolerance	±25 %	
Light color LED	Cool white	
Dimensions & weight		
Diameter	13.5 mm	
Product weight	24.00 g	
Length	58.0 mm	
Capabilities		
Technology	LED	
Certificates & standards		
ECE category	≙ H7/H18	
Environmental information		
Date of Declaration	07-12-2023	
Primary Article Identifier	4062172316361   4062172326261	
Candidate List Substance 1	Lead	
CAS No. of substance 1	7439-92-1	
afe Use Instruction  The identificathe Candidate substance is set o allow safe the article.		
Declaration No. in SCIP database	7df39c1d-6889-4887	

## **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N499DWBS-2SCB	4062172326261	Soft cover box	2

## Legal advice

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

## Safety advice

Application advice:For more detailed application information and graphics please see product datasheet and user manual.

## **Product datasheet**



NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com