



NEOLUX®
GERMAN TECHNOLOGY

LED Headlamp 6500 K 81.00 mm P43t

Thanks to a very compact socket design, these new lamps allow a high compatibility and an easy installation. The pair of lamps comes with a color temperature of 6 500 K – providing a stylish upgrade with Cool White LED light and a superior brightness. The latest LED technology guarantees a long service life.



Product family benefits

- Easy plug & play installation with optimized compatibility - no adapters and caps needed
- Higher performance and high-level light output
- Better visibility thanks to daylight effect
- More light allows to see farther and therefore react sooner. Signs, obstacles and hazards can be recognized sooner
- Reduced glaring thanks to an optimized light distribution

Product family features

- Ultra compact LED replacement for conventional H7/H18 high and low beam lamps as socket solution
- Fast installation thanks to the optimized compatibility (no adapters or caps needed)
- Cool White color temperature
- Superior brightness





N472DWBS-2SCB



N472DWBS-2SCB

Product information

Product type (off-road vs. on-road)	Off-road \triangle H4
Application (Category and Product specific)	Headlights

Electrical data

Test voltage	13.2 V
Nominal wattage	10.00 W
Nominal voltage	12.0 V

Photometrical data

Color temperature	6000 K
Luminous flux	900/1100 lm
Luminous flux tolerance	± 20 %
Light color LED	Cool white

Dimensions & weight

Diameter	25.0 mm
Product weight	48.00 g
Length	81.0 mm

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Capabilities

Technology	LED
------------	-----

Certificates & standards

ECE category	\triangle H4
--------------	----------------

Environmental information

Date of Declaration	07-12-2023
Primary Article Identifier	4062172386456
Declaration No. in SCIP database	In work

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
N472DWBS-2SCB	4062172386456	Soft cover box	2

Legal advice

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.