



NEOLUX®
GERMAN TECHNOLOGY

Standard 5 W 12 V W2.1x9.5d



N501

Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N501



N501-02B

Product information	
Application (Category and Product specific)	Auxiliary lamp

Electrical data	
Power input	5 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	5.00 W
Nominal voltage	12.0 V

Photometrical data	
Luminous flux	50 lm
Luminous flux tolerance	±20 %

Dimensions & weight	
Diameter	10.0 mm
Product weight	1.30 g
Length	26.8 mm

Lifespan	
Lifespan Tc	500 h
Lifespan B3	200 h


Additional product data	
Base (standard designation)	W2.1x9.5d

Certificates & standards	
ECE category	W5W
British standard	501

Logistical data	
Order reference	N501

Environmental information	
Date of Declaration	06-03-2024
Primary Article Identifier	5010633537069 4006584920723 4006584590445 4008321776099 4008321812452 4055462054432 4052899560925 4055462205896 4055462205865 4055462205834 4055462301055 4055462347145 4006584735662
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information			
Packaging description	EAN	Packaging type	Amount of article
NEOLUX			
N501	4006584920723	Folding box	10
N501-02B	4008321776099	Blister	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com